

LKHA-0808P-TA

ARTICLE PROPERTIES

PRODUCT TYPE	IO-Link IP20 hubs-16 digital I/O modules
DESCRIPTION	8DI / 8DO, PNP, interface 4-Pos terminals

ELECTRICAL CONNECTION

IO-LINK	1 × 4-Pos terminals	INPUT / OUTPUT	2 × 10 position I/O terminal blocks + 2 × 10 position Aux-plugs(2 4 V and 0 V) terminal blocks, push-in spring connection, pluggable
POWER SUPPLY	Included in IO-Link interface		

ELECTRICAL PARAMETERS

INPUT CHANNELS	8	OUTPUT	8
INPUT SUPPLY CURRENT	Max 200 mA per channel, sum 1.6 A	OUTPUT CURRENT	Max. 500 mA per channel, sum 2 A
INPUT DELAY	0.8 ms, 1.6 ms, 3.2 ms or 20 ms, parameterizable configuration	OUTPUT TYPE	Lamps, solenoidvalve, etc..
MODULE COMMUNICATION INDICATOR	Green LED	OUTPUT FREQUENCY	Resistive load 100 Hz, Inductive load 5 Hz
POWER SUPPLY INDICATOR	Green LED	PROCESS DATA IN	1 bytes
SIGNAL STATUS INDICATOR	Green LED	PROCESS DATA OUT	1 bytes

DIAGNOSTICS

COMMUNICATION STATUS	LED indication, communication message	SHORT-CIRCUIT	LED indication
VOLTAGE DETECTION	LED indication	OVERLOAD	LED indication

FUNCTIONAL SAFETY

MTTF (40 °C)	110a
---------------------	------

GENERAL DATA


PROTECTION CLASS	IP20	OPERATING TEMPERATURE	-25 ... +70 °C
DIMENSIONS	91 × 70 × 39 mm	STORAGE TEMPERATURE	-40 ... +85 °C
WEIGHT	129.5 g		

LKHA-0808P-TA

APPROVALS



DIMENSIONS



LKHA-0808P-TA

TERMINAL DEFINITION

1	2	3	4
---	---	---	---

- 1 - 1L 24 V+ (BN)
- 2 - 2L 24 V+ (WH)
- 3 - M GND (BU)
- 4 - C/Q (BK)

11	12	13	14	15	16	17	18	19	20
1L	1L	1L	1L	1L	M	M	M	M	M
1L	i1	i2	i3	i4	i5	i6	i7	i8	M
1	2	3	4	5	6	7	8	9	10



21	22	23	24	25	26	27	28	29	30
2L	Q1	Q2	Q3	Q4	Q5	Q6	Q7	Q8	M
M	M	M	M	M	M	M	M	M	M
31	32	33	34	35	36	37	38	39	40

LKHA-0808P-TA

SALES AND SERVICE**Tianjin Elco Automation Co., Ltd**

No. 12, 4th XEDA Branch Road
Xiqing Economic-Technological Development Area
Tianjin 300385, P.R. China
Office Phone: 022 23788282
E-Mail: info@elco.cn
www.elco-holding.com.cn

Elco Industrie Automation GmbH

Benzstrasse 7
71720 Oberstenfeld,
Deutschland
Office Phone: +49 7062 / 6599-260
E-Mail: info@elco-automation.de
www.elco-automation.de

Elco Automation LLC

1097 Highway 101 South, Suite D-3 Greer
South Carolina 29651, USA
Office Phone: +1 864-581-7431
E-Mail: infousa@elcoautomation.com
www.elcoautomation.com

Elco Industrial Automation Pvt Ltd.

No 80, 1st Main, 2nd Cross, Royal Enclave,
Sidedahalli, Nagasandra Bangalore 560073, India
Office Phone: +91-7259931777
E-Mail: info@elcoautomation.in
www.elcoautomation.com

Elco Automation Korea Ltd.

706, 17 Daehak 4-ro, Yeongtong-gu, Suwon-si,
Gyeonggi-do, Republic of Korea, 16226
Office Phone: +82-31-216-7890
E-Mail: sales@elcoautomation.co.kr
www.elcoautomation.com