


LF32W250



OPTICAL DATA

LUMINOUS FLUX	550 lm	LED SOURCE TYPE	Non-lens
LIGHT COLOUR	Cool White 5700 K	LIGHT BODY LENGTH	250 mm
BEAM ANGLE	82°	Ra	> 80

MECHANICAL DATA

LENGTH (L1)	293 mm	LENGTH (L2)	309 mm
WIDTH (W1)	24 mm	WIDTH (W2)	36.5 mm
HEIGHT (H1)	21.5 mm	HEIGHT (H2)	39.75 mm
HOUSING MATERIAL	Aluminium	WINDOW	Transparent glass
VERTICAL ADJUSTING T ANGLE	± 60°	WEIGHT	0.35 kg

ELECTRICAL DATA

POWER	6.5 W	RATED OPERATIONAL VOLTAGE	24 V DC/AC
CURRENT	0.27 A	OPERATING VOLTAGE	18 ... 30 V DC/AC
LAMPS LIFETIME	> 50000 h	CONNECTION	M12 x 1 4-pin
ELECTRICAL PROTECTION GRADE	III	REVERSE POLARITY PROTECTED	Yes
STAND ALONE / CASCADABLE	Stand alone		


ENVIRONMENTAL CONDITIONS

DEGREE OF PROTECTION	IP65	OPERATING TEMPERATURE	-20 ... +50 °C
-----------------------------	------	------------------------------	----------------

LF32W250

MOUNTING BRACKET

Angle adjustable, 304 stainless steel, each lamp with two mounting brackets



Pre-moulding connector	Pin out	Connector model	Wiring diagram
		<p>CO12.3-2 CO12.4-2 CO12.3-2-C12.3 (Double ended)</p>	

APPROVALS



LF32W250

SALES AND SERVICE

Tianjin Elco Automation Co., Ltd

No. 12, 4th XEDA Branch Road
Xiqing Economic-Technological Development Area
Tianjin 300385, P.R. China
Office Phone: 022 23788282
E-Mail: info@elco.cn
www.elco-holding.com.cn

Elco Industrie Automation GmbH

Benzstrasse 7
71720 Oberstenfeld,
Deutschland
Office Phone: +49 7062 / 6599-260
E-Mail: info@elco-automation.de
www.elco-automation.de

Elco Automation LLC

1097 Highway 101 South, Suite D-3 Greer
South Carolina 29651, USA
Office Phone: +1 864-581-7431
E-Mail: infousa@elcoautomation.com
www.elcoautomation.com

Elco Industrial Automation Pvt Ltd.

No 80, 1st Main, 2nd Cross, Royal Enclave,
Sidedahalli, Nagasandra Bangalore 560073, India
Office Phone: +91-7259931777
E-Mail: info@elcoautomation.in
www.elcoautomation.com

Elco Automation Korea Ltd.

706, 17 Daehak 4-ro, Yeongtong-gu, Suwon-si,
Gyeonggi-do, Republic of Korea, 16226
Office Phone: +82-31-216-7890
E-Mail: sales@elcoautomation.co.kr
www.elcoautomation.com