


LF32W500-M



OPTICAL DATA

LUMINOUS FLUX	1100 lm	LED SOURCE TYPE	Non-lens
LIGHT COLOUR	Cool White 5700 K	LIGHT BODY LENGTH	500 mm
BEAM ANGLE	82°	Ra	> 80

MECHANICAL DATA

LENGTH (L1)	543 mm	LENGTH (L2)	559 mm
WIDTH (W1)	24 mm	WIDTH (W2)	36.5 mm
HEIGHT (H1)	21.5 mm	HEIGHT (H2)	39.75 mm
HOUSING MATERIAL	Aluminium	WINDOW	Frosted glass
VERTICAL ADJUSTING T ANGLE	± 60°	WEIGHT	0.65 kg

ELECTRICAL DATA

POWER	12.5 W	RATED OPERATIONAL VOLTAGE	24 V DC/AC
CURRENT	0.54 A	OPERATING VOLTAGE	18 ... 30 V DC/AC
LAMPS LIFETIME	> 50000 h	CONNECTION	M12 x 1 4-pin
ELECTRICAL PROTECTION GRADE	III	REVERSE POLARITY PROTECTED	Yes
STAND ALONE / CASCADABLE	Stand alone		


ENVIRONMENTAL CONDITIONS

DEGREE OF PROTECTION	IP65	OPERATING TEMPERATURE	-20 ... +50 °C
-----------------------------	------	------------------------------	----------------

LF32W500-M

MOUNTING BRACKET

Angle adjustable, 304 stainless steel, each lamp with two mounting brackets



Pre-moulding connector	Pin out	Connector model	Wiring diagram
		CO12.3-2 CO12.4-2 CO12.3-2-C12.3 (Double ended)	

APPROVALS



LF32W500-M

SALES AND SERVICE**Tianjin Elco Automation Co., Ltd**

No. 12, 4th XEDA Branch Road
Xiqing Economic-Technological Development Area
Tianjin 300385, P.R. China
Office Phone: 022 23788282
E-Mail: info@elco.cn
www.elco-holding.com.cn

Elco Industrie Automation GmbH

Benzstrasse 7
71720 Oberstenfeld,
Deutschland
Office Phone: +49 7062 / 6599-260
E-Mail: info@elco-automation.de
www.elco-automation.de

Elco Automation LLC

1097 Highway 101 South, Suite D-3 Greer
South Carolina 29651, USA
Office Phone: +1 864-581-7431
E-Mail: infousa@elcoautomation.com
www.elcoautomation.com

Elco Industrial Automation Pvt Ltd.

No 80, 1st Main, 2nd Cross, Royal Enclave,
Sidedahalli, Nagasandra Bangalore 560073, India
Office Phone: +91-7259931777
E-Mail: info@elcoautomation.in
www.elcoautomation.com

Elco Automation Korea Ltd.

706, 17 Daehak 4-ro, Yeongtong-gu, Suwon-si,
Gyeonggi-do, Republic of Korea, 16226
Office Phone: +82-31-216-7890
E-Mail: sales@elcoautomation.co.kr
www.elcoautomation.com